



Contents

| Vitamins | page 4 |
|----------------------------|---------|
| Carotenoids | page 7 |
| Omega-3 | page 11 |
| Omega-6 (Arachidonic acid) | page 11 |
| Beverage Stabilizers | page 11 |

| | _ | Additional Information ¹ | | Application | n² | Product | Packaging Size (kg) | Article | ,, , , , , | | | Allergen | Gluten | Plant- | Naturally- derived ⁹ |
|--|--------|--|----|-------------------------|----------|---------------------|------------------------|----------------------|-------------------------|----------|----------|----------|-------------------|--------------------|------------------------------------|
| Product | Form | | DS | Functional Nutrition | Colorant | Number (PRD No.) | | Number (ART No.) | Vegetarian ³ | Kosher | Halal | free⁴ | free ⁵ | based ⁸ | |
| Vitamin A | | | | | | | | ì | | | | | | | |
| Dry Vitamin A-Acetate 500, 60 Mesh | Powder | 500,000 IU vitamin A per gram, 60 mesh, with gelatin, BHT stabilized | | | | 30041011 | 25 | 50050523 | | | | ✓ | ✓ | | |
| Dry Vitamin A-Acetate 500, 40 Mesh | Powder | 500,000 IU vitamin A per gram, 40 mesh, with gelatin, BHT stabilized | | | | 30041009 | 25 | 50050735 | | | | ✓ | ✓ | | |
| Dry Vitamin A-Acetate 325 GFP* | Powder | 325,000 IU vitamin A per gram, with acacia gum, Toc. stabilized | | = × | | 30056973 | 25 | 50051212 | ✓ | ✓ | √ | ✓ | ✓ | | |
| Dry Vitamin A-Acetate 325 GFP/E | Powder | 325,000 IU vitamin A per gram, with acacia gum, Toc. stabilized | | * * | | 30253192 | 25 | 50491815 | √ | √ | √ | ✓ | ✓ | | |
| Dry Vitamin A-Palmitate 250 CP CWD | Powder | 250,000 IU vitamin A per gram, with modified starch, Toc. Stabilized | | ∀ ×ŏ | | 30749765 | 25 | 50683290 | √ | ✓ | √ | ✓ | ✓ | | |
| Dry Vitamin A-Palmitate 250 FP CWD | Powder | 250,000 IU vitamin A per gram, with modified starch, Toc. Stabilized | | ∀ ×ĕ | | 30750170 | 25 | 50686289 | ✓ | √ | √ | ✓ | ✓ | | |
| Vitamin A-Acetate 2.8 Mio IU/g unstabilized | Oil | 2.8 million IU vitamin A per gram, unstabilized | | × | | 30041023 | 50 | 50096568 | ✓ | √ | √ | √ | ✓ | | |
| Vitamin A-Acetate 1.5 Mio IU/g stabilized with BHT | Oil | 1.5 million IU vitamin A per gram, BHT stabilized | | × | | 30041021 | 4 x 5 | 50563945 | ✓ | ✓ | √ | ✓ | ✓ | | |
| Vitamin A-Palmitate 1.7 Mio IU/g unstabilized* | Oil | 1.7 million IU vitamin A per gram, unstabilized | | ×å | | 30041032 | 4 x 5 25 | 50563942 55857164 | ✓ | √ | √ | ✓ | ✓ | | |
| Vitamin A-Palmitate 1.7 Mio IU/g stabilized with Tocopherol* | Oil | 1.7 million IU vitamin A per gram, Toc. stabilized | | ×å | | 30041031 | 4 x 5 25 | 50563952 55800242 | ✓ | √ | √ | ✓ | ✓ | | |
| Vitamin A-Palmitate 1.0 Mio IU/g stabilized with Tocopherol* | Oil | 1.0 million IU vitamin A per gram, Toc stabilized | | ×å | | 30041043 | 4 x 5 25 | 50563949 55856634 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Vitamin-A-Propionate 2.5 Mio IU/g stabilized with BHT | Oil | 2.5 million IU vitamin A per gram, BHT stabilized | | × | | 30636556 | 25 | 50431749 | ✓ | √ | √ | √ | ✓ | | |
| Oily Vitamin Blend 02-185 | Oil | 1.0 million IU vitamin A and 100,000 IU vitamin D ₃ per gram, Toc. stabilized | | ä | | 30082219 | 4 x 5 | 50563955 | ✓ | ✓ | ✓ | √ | ✓ | | |
| Vitamin B | | | | | | | | | | | | | | | |
| Riboflavin Fine Powder (FP) | Powder | Vitamin B ₂ with fine particle size | | ★ ★ | √ | 30519560 | 10 25 | 50174430 50174226 | ✓ | √ | ✓ | ✓ | ✓ | | ✓ |
| Riboflavin High Flow 100 (HF) | Powder | Vitamin B ₂ with better flowability | | ★ ★ | √ | 30519563 | 10 25 | 50175051 50175050 | ✓ | √ | √ | ✓ | ✓ | | ✓ |
| Calcium D-Pantothenate | Powder | Vitamin B ₅ , crystalline | | ₩ 🗶 | | 30041195 | 25 | 50011091 | ✓ | √ | ✓ | √ | ✓ | | |
| Vitamin B ₁₂ 0.1% SD* | Powder | 0.1% cyanocobalamin, with maltodextrin | | = × | | 30508686 | 20 | 50494235 | ✓ | ✓ | √ | √ | ✓ | | √ |
| Vitamin B ₁₂ 1% SD* | Powder | 1% cyanocobalamin, with maltodextrin | | = × | | 30508688 | 20 | 50494653 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| Dry Vitamin B ₁₂ 0.1% GFP | Powder | 0.1% cyanocobalamin, with maltodextrin | | = × | | 30663190 | 20 | 50493508 | ✓ | ✓ | √ | ✓ | ✓ | | ✓ |
| Dry Vitamin B ₁₂ 1% GFP | Powder | 1% cyanocobalamin, with maltodextrin | | ★ ★ | | 30662841 | 20 | 50494233 | ✓ | √ | ✓ | ✓ | ✓ | | ✓ |

| Product | | Additional Information ¹ | | Application | on² | Product | Packaging Size (kg) | Article | V | 17 | | Allergen | Gluten | Plant- | Naturally- |
|--|--------|---|----------|-------------------------|----------|---------------------|---------------------------|--|-------------------------|----------|----------|-------------------|-------------------|--------------------|----------------------|
| | Form | | DS | Functional Nutrition | Colorant | Number (PRD No.) | | Number (ART No.) | Vegetarian ³ | Kosher | Halai | free ⁴ | free ⁵ | based ⁸ | derived ⁹ |
| Vitamin D | | | | | | | | | | | | | | | |
| Vitamin D ₃ 1.0 Mio IU/g* | Oil | 1.0 million IU cholecalciferol per gram, in MCT oil, Toc. stabilized | <i>₽</i> | × | | 30070969 | 4 x 5 | 50563957 | √ | √ | √ | ✓ | ✓ | | |
| Dry Vitamin D ₃ 100 | Powder | 100,000 IU cholecalciferol per gram, with gelatin, BHT stabilized | | × | | 30067769 | 25 | 50144186 | | | | ✓ | √ | | |
| Dry Vitamin D ₃ 100 GFP* | Powder | 100,000 IU cholecalciferol per gram, with acacia gum, Toc. stabilized | | # × | | 30053529 | 25 | 50051636 | ✓ | √ | √ | √ | ✓ | | |
| Dry Vitamin D ₃ 100 GFP HP | Powder | 100,000 IU cholecalciferol per gram, with acacia gum, Toc. stabilized High potency (Sold in North America only) | | * × | | 30208576 | 25 | 53763345 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Dry Vitamin D ₃ 100 HP | Powder | 100,000 IU cholecalciferol per gram, with gelatin, modified starch, BHT stabilized High potency (Sold in North America only) | | | | 30204226 | 25 | 53151552 | | | | ✓ | √ | | |
| Vitamin E | | | | | | | | | | | | | | | |
| DL-alpha Tocopherol (synthetic) | | | | | | | | | | | | | | | |
| DL-alpha-Tocopherol | Oil | DL-alpha-tocopherol | | × | | 30054571 | 4 x 5 25 900 | 50563943 55434224 53872051 | ✓ | √ | ✓ | ✓ | ✓ | | |
| Vitamin E Acetate 98% ¹¹ | Oil | Vitamin E acetate (DL-alpha-Tocopheryl Acetate) | | × | | 30574840 | 4 x 5 25 190 900 | 50628376 50315393 50322196 50322195 | √ | ✓ | ✓ | ✓ | ✓ | | |
| Vitamin E Acetate Pharma ¹⁰ | Oil | Vitamin E acetate (DL-alpha-Tocopheryl Acetate) | | × | | 30777580 | 4 x 5 25 190 900 | 50748656 50731401 50731350 50748639 | ✓ | √ | ✓ | ✓ | ✓ | | |
| Dry Vitamin E-Acetate 50% DC/GFP | Powder | 50% vitamin E acetate, with modified starch | | × | | 30253144 | 25 | 50486886 | ✓ | √ | √ | √ | ✓ | | |
| Vitamin E 500 BG* | Powder | 50% vitamin E acetate, with modified starch | | ∀ × | | 30176617 | 25 | 57311006 | ✓ | √ | √ | √ | ✓ | | |
| Vitamin E 500 FG* | Powder | 50% vitamin E acetate, with modified starch | | # × | | 30079657 | 25 | 52807491 | ✓ | ✓ | √ | √ | ✓ | | |
| Vitamin K | | | | | | | | | | | | | | | |
| Dry Vitamin K ₁ 1% GFP* | Powder | 1% phytomenadione, with acacia gum | | ₩ 🗶 | | 30041016 | 25 | 50052166 | ✓ | ✓ | √ | √ | ✓ | | |
| Dry Vitamin K ₁ 5% GFP* | Powder | 5% phytomenadione, with acacia gum | | = × | | 30041002 | 25 | 50052325 | ✓ | √ | ✓ | \checkmark | ✓ | | |
| Carotenoids | | | | | | | | | | | | | | | |
| Apocarotenal | | | | | | | | | | | | | | | |
| Apocarotinal Dispersion 20 MCT | Oil | 20% apocarotenal, dispersion in MCT oil | | × | ✓ | 30078425 | 4 x 5 | 50508476 | √ | ✓ | ✓ | ✓ | ✓ | | |

| Product | | Additional Information ¹ | Application | | on² | Product | Packaging | Article | | | | Allergen | Gluten | n Plant- | Naturally- |
|--|------------|---|-------------|-------------------------|----------|---------------------|----------------------|----------------------------------|-------------------------|--------------|----------|-------------------|-------------------|--------------------|--------------|
| | Form | | DS | Functional Nutrition | Colorant | Number (PRD No.) | Size (kg) | Number (ART No.) | Vegetarian ³ | Kosher | Halal | free ⁴ | free ⁵ | based ⁸ | |
| Beta-Carotene | | | | | | | | | | | | | | | |
| Beta-Carotene 20% GFP | Powder | 20% beta-carotene, with modified starch | | | | 30796312 | 25 | 50775315 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Beta-Carotene 20% CWD/R | Powder | 20% beta-carotene, with modified starch | | # × | ✓ | 30283190 | 25 | 53387788 | √ | √ | ✓ | ✓ | ✓ | | |
| Lucarotin® 1 CWD/Y | Powder | 1% beta-carotene, with modified starch | | * * | ✓ | 30249105 | 2 x 5 20 | 50219030 52574132 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Lucarotin® 10 CWD/O PLUS | Powder | 10% beta-carotene, with modified starch | | * * | ✓ | 30619543 | 2 x 5 20 | 50487209 50400864 | ✓ | ✓ | √ | ✓ | ✓ | | |
| Lucarotin® 30 M | Oil | 30% beta-carotene, dispersion in corn oil | | × | √ | 30041157 | 4 x 5 8 x 2 20 | 50508479 50508480 50562200 | √ | √ | √ | √ | ✓ | | |
| Lucarotin® 30 SUN | Oil | 30% beta-carotene, dispersion in sunflower oil | | × | ✓ | 30085626 | 4 x 5 8 x 2 20 | 50507836 50507851 50562306 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Lucarotin [®] 30 MCT | Oil | 30% beta-carotene, dispersion in medium chain triglycerides oil | | × | ✓ | 30593736 | 20 | 50355369 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Fermented Beta-Carotene, from Blakesle | a trispora | ' | | | | | | | | | | ' | | | |
| Lucarotin [®] B 1 CWD/Y | Powder | 1% fermeneted beta-carotene, with modified starch | | = × | ✓ | 30696909 | 2 x 5 | 50571891 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| Lucarotin® B 10 CWD/O PLUS | Powder | 10% fermented beta-carotene, with modified starch | | ₩ | ✓ | 30704003 | 2 x 5 | 50583841 | ✓ | √ | ✓ | √ | ✓ | | ✓ |
| Lucarotin® B 30 SUN | Oil | 30% fermented beta-carotene, dispersion in sunflower oil | | × | ✓ | 30678628 | 4 x 5 600 | 50527798 50527693 | ✓ | √ | ✓ | ✓ | ✓ | | ✓ |
| Mixed carotenoids, from Dunaliella salina | 1 | | | | | | | | | | | | | | |
| Betatene 1% CWD N | Powder | 1% mixed carotenoids, cold water dispersible powder with acacia gum | | = × | ✓ | 30528283 | 2 x 5 | 50336934 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Betatene 20% OLV | Oil | 20% mixed carotenoids, suspension in olive oil | | | | 30528286 | 10 | 50297753 | √ | ✓ | √ | ✓ | ✓ | ✓ | √ |
| Betatene 30% OLV | Oil | 30% mixed carotenoids, suspension in olive oil | | | | 30528307 | 10 | 50297754 | ✓ | √ | √ | ✓ | ✓ | ✓ | ✓ |
| Betatene 20% SOY ⁶ | Oil | 20% mixed carotenoids, suspension in soybean oil | | | | 30528140 | 10 | 50297609 | √ | ✓ | √ | √ | ✓ | ✓ | ✓ |
| Betatene 30% SOY ⁶ | Oil | 30% mixed carotenoids, suspension in soybean oil | | | | 30528275 | 10 | 50297752 | \checkmark | \checkmark | ✓ | ✓ | ✓ | \checkmark | \checkmark |
| Dunaliella Salina Extract | Oil | 8% mixed carotenoids, suspension in soybean oil | | | ✓ | 30670488 | 10 | 50508170 | ✓ | √ | √ | √ | ✓ | ✓ | ✓ |
| 30% Natural Betacarotene SFO | Oil | 30% mixed carotenoids, suspension in sunflower oil | | × | √ | 30543553 | 10 | 50297760 | √ | ✓ | ✓ | ✓ | ✓ | ✓ | √ |
| 30% Natural Beta-carotene in MCT Oil | Oil | 30% mixed carotenoids, suspension in MCT oil | | × | ✓ | 30535547 | 10 | 50288096 | ✓ | √ | ✓ | ✓ | ✓ | ✓ | √ |
| 30% Natural Beta-carotene in Olive Oil | Oil | 30% mixed carotenoids, suspension in olive oil | | × | ✓ | 30531352 | 10 900 | 50297608 50515893 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | √ |
| 30% Natural Beta-carotene in Soybean Oil 6 | Oil | 30% mixed carotenoids, suspension in soybean oil | | × | ✓ | 30531354 | 10 | 50297755 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| Product Fo | Fa | Additional Information ¹ | Application ² | | Product | Packaging | Article | Variation3 | Kaabay | Helel | Allergen | Gluten | n Plant- | Naturally- | |
|--------------------------|--------|--|--------------------------|-------------------------|----------|---------------------|-----------|----------------------|-------------------------|--------------|--------------|-----------------------|----------|--------------------|----------------------|
| | Form | | DS | Functional Nutrition | Colorant | Number (PRD No.) | Size (kg) | Number (ART No.) | Vegetarian ³ | Kosher | панан | free ⁴ | free⁵ | based ⁸ | derived ⁹ |
| Lycopene | | | | | | | | | | | | | | | |
| LycoVit 10 CWD/S* | Powder | 10% lycopene, with modified starch | | ₩ 🗶 | √ | 30276090 | 2 x 5 | 52753643 | ✓ | \checkmark | \checkmark | \checkmark | √ | | |
| LycoVit Dispersion 10% | Oil | 10% lycopene, dispersion in sunflower oil | | × | ✓ | 30264388 | 4 x 5 | 50508513 | √ | \checkmark | \checkmark | \checkmark | ✓ | | |
| LycoVit 10% DC | Powder | 10% lycopene, with gelatin | | | | 30075276 | 25 | 50825236 | | | | \checkmark | ✓ | | |
| Lutein | | | | | | | | | | | | | | | |
| Lutein 5% DC | Powder | 5% free lutein, with gelatin | | | | 30267108 | 25 | 51843209 | | | | \checkmark | ✓ | \checkmark | √ |
| Lutein 20% SAF | Oil | 20% free lutein, suspension in safflower oil | | × | √ | 30683669 | 10 | 50544889 | √ | \checkmark | \checkmark | \checkmark | ✓ | ✓ | ✓ |
| Xangold 10% CWD NH | Powder | 10% lutein ester, with fish gelatin | | # × | ✓ | 30695676 | 25 | 50570663 | | | | √ ⁷ | ✓ | \checkmark | |
| Xangold 15% ⁶ | Oil | 15% lutein ester, suspension in soybean oil | | × | | 30528305 | 10 | 50241145 | √ | \checkmark | \checkmark | \checkmark | ✓ | ✓ | ✓ |
| Xangold 15% OLV EU | Oil | 15% lutein ester derived from organic marigold flowers, suspension in olive oil | | × | | 30600259 | 10 | 50369090 | ✓ | \checkmark | \checkmark | \checkmark | ✓ | √ | ✓ |
| Xangold 30% OLV EU | Oil | 30% lutein ester, suspension in olive oil | | × | | 30600954 | 10 | 50369645 | √ | \checkmark | \checkmark | \checkmark | ✓ | \checkmark | ✓ |
| Omega-3s | | | | | | | | | | | | | | | |
| Omega Oil 1812 TG Gold | Oil | Fish oil, min. 30% Omega-3 | | × | | 30634620 | 25 190 | 50428511 50428512 | | | \checkmark | | ✓ | | √ |
| Omega Oil 0525 TG Gold | Oil | Tuna oil, min. 30% Omega-3, DHA rich | | × | | 30634621 | 25 190 | 50428513 50428514 | | | \checkmark | | ✓ | | ✓ |
| DHA Algal Oil | Oil | Algal oil (oil from the micro-algae Schizochytrium sp.); min. 380 mg/g DHA | | ×i | | 30599327 | 25 190 | 50375580 50375579 | √ | √ | √ | \checkmark | ✓ | √ | ✓ |
| Omega-6s | | | | | | | | | | | | | | | |
| ARA Oil Gold | Oil | Arachidonic acid oil (from fungal strain Mortierella alpina), min. 400 mg/g ARA | | å | | 30726000 | 25 190 | 50627968 50627967 | √ | \checkmark | \checkmark | \checkmark | ✓ | | √ |
| Beverage Stabilizers | | | | | | | | | | | | | | | |
| Divergan F | Powder | Single-use PVPP stabilizer | | f | | 30034969 | 20 | 50116237 | √ | \checkmark | \checkmark | \checkmark | √ | | |
| Divergan RS | Powder | Regenerable PVPP stabilizer | | ¥ | | 30034968 | 20 | 50116236 | \checkmark | \checkmark | \checkmark | \checkmark | ✓ | | |

| Abbreviations | | | | | | | | | |
|---------------|--|--|--|--|--|--|--|--|--|
| BG | Beverage grade | | | | | | | | |
| CWD/WDP | Cold-water dispersible/water dispersible product | | | | | | | | |
| DC | Direct compressible | | | | | | | | |
| EE | Ethyl ester | | | | | | | | |
| FG | Food grade | | | | | | | | |
| GFB | Gelatin-free beadlet | | | | | | | | |
| GFP | Gelatin-free product | | | | | | | | |
| IU | International Units | | | | | | | | |
| TE | Tocopherol equivalent | | | | | | | | |
| F/O | Fish gelatin/orange | | | | | | | | |
| /O | Orange | | | | | | | | |
| /R | Red | | | | | | | | |
| Y | Yellow | | | | | | | | |
| | | | | | | | | | |



Betatene®, Divergan®, Dry n-3®, Lucarotin®, LycoVit®, Xangold® and other registered trademarks are owned by BASF Group.

*Universal formula: This product can be marketed universally in all major countries and for multiple applications. In addition, the product meets all of the following criteria: vegetarian, kosher, halal, non-GMO labeling, allergen free, gluten free.

- Product details including minimum content of active substance as well as relevant information to product composition, features, properties and use.
- 2. Major application based on our experience. Other applications may be possible.
- Suitable for a vegetarian diet; no animal products are added, except for some products that may contain dairy ingredients (e.g. caseinate, lactose) or vitamin D₃, which is produced from wool grease.
- No labeling requirements with regard to allergens according to regulation (EU) No 1169/2011 (as amended) and the US Food Allergen Labeling and Consumer Protection Act (FALCPA).
- No ingredients used containing gluten. However, products are not explicitly tested on gluten.
- PCR-negative, derived from genetically modified vegetable oil.
- Contain fish gelatin, which requires labeling according to the US Food Allergen Labeling and Consumer Protection Act (FALCPA)
- Main / active ingredient originating from plants (including vegetables, fruits, whole grains, nuts, seeds, mushrooms and algae). May contain formulation ingredients not from plants.
- Main / active ingredient originating from natural materials. May contain formulation ingredients not matching "natural" definition.
- 10. Vitamin E Acetate Pharma and DL-alpha-Tocopherol is marketed as API in all countries in which regulatory EU documentation (CEP, ASMF) is accepted; a US drug master file is not available.
- 11. For your applications requiring pharma documentation (e.g., GMP certificate, ASMF and CEP), please refer to our pharma grade product "Vitamin E Acetate Pharma".

Note: National regulations may vary and need to be considered prior to product use.